

Level 17, Casselden
2 Lonsdale Street
Melbourne Vic 3000
GPO Box 520
Melbourne Vic 3001
tel: (03) 9290 1800
fax: (03) 9663 3699
www.accc.gov.au

26 February 2018

Mr Warwick King
CEO
Australia Pacific LNG Pty Ltd
Level 4, 139 Coronation Drive
Milton, Queensland 4064

Dear Mr King

Re: Part 23 exemption - Combabula Spur Line (PPL 178)

I refer to your application dated 9 January 2018 for an exemption under Part 23 of the National Gas Rules (NGR) for the Combabula Spur Line.

The AER has assessed the application and supporting information and has determined to grant exemptions under Category 1 and Category 2. We considered your request for an extended exemption period to match the no-coverage determination period for PPL 162. However the granted exemptions are to expire five years from the date of this letter, consistent with AER policy and our previous decisions.

As required by NGR rule 585(8), please notify the AER if circumstances change such that the pipeline no longer qualifies for the exemption.

Rule 585 requires the AER to maintain a public register of Part 23 exemptions. Fields marked with a (*) in your application of 9 January 2018 will be published on the register along with this response.

Please contact me (sebastian.roberts@aer.gov.au, 03 9290 1895) if we can assist further.

Yours sincerely



Sebastian Roberts
General Manager
Network Expenditure